



**DISPLAY**  
CONCEPTS

# Twin

## Refrigerated Pastry Showcase

H137 – H120



**Features:** Professional ventilated pastry showcase with tubular epoxy-painted steel base and options for wheels or adjustable feet. Enbloc body is lined throughout in stainless steel, insulated with injected polyurethane and lined with stainless steel. Glass superstructure is tubular aluminum. Both front and side glass panels are tempered and heated. Front glass panel opens downward. Two ambient display shelves on H137, one ambient shelf on H120. Rear is enclosed with a roller blind. LED lighting underneath top surface and shelves. Ventilating refrigeration system with electronic control panel with thermostat and automatic defrost. Automatic showcase condensate evaporation with integral motor, condensate drain for connection to drainage system with remote motor. The condenser unit can be integral in the showcase or remote, at a distance of up to 20 meters. Can be channeled in-line with TWIN ice cream & gelato, and confectionery showcases.

### TWIN PASTRY SHOWCASE

**Operating temperature** 32°F/+41°F (0°C/+5°C)

**Climate Class 4** (30° C- 55% R.H.)

**Relative Humidity** 55% -60%

**Structure:** stainless steel & anodized aluminum

**Front glass:** downward opening

**Glass panels:** tempered and heated

**Front & side base panels:** lacquered in a variety of RAL colors

**Ventilation:** ventilated forced air

**Compressor:** available integral or remote

**Defrosting:** automatic reverse cycle

**Lighting:** high luminosity LED

**Electric:** 220V 15A 1Phase

**Plumbing:** none required, condensate evaporator included



info@fmdisplayconcepts.com  
800-889-3975  
www.fmdisplayconcepts.com


TWIN  
MINIMAL EVOLUTION

# Twin


## Refrigerated Pastry Showcase




**DISPLAY**  
CONCEPTS




2150




1850



1650



1500



1150

### H137

### H120

Feature	inches	mm
Depth (All)	44.3	1125
Height (120)	47.2	1200
Height (137)	53.9	1370
Length (L-1150)	46.9	1190
Length (L-1500)	60.6	1540
Length (L-1650)	66.5	1690
Length (L-1850)	74.4	1890
Length (L-2150)	86.2	2190

